




**Personal Lighting Products** —

2022 Industrial Collection

# To Create Light Where There is Darkness

Since 1975, Princeton Tec has developed products for the professional and the outdoor sports enthusiast. Princeton Tec's 45 year journey has pushed the limits of self-discovery and provided light for those who have explored all ends of the Earth. The spirit of adventure and history of meeting challenges continue to drive the growth and development of Princeton Tec and its products.





---

# Contents

## Headlamps

1-2	Hazardous Location Ratings
3-4	Vizz II
5-6	Eos II
7-8	Quad II
9-10	Eos 360
11-12	Vizz Industrial
13-14	Eos Industrial
15-16	Quad Industrial
17-18	Snap Industrial
19-20	Apex Rechargeable Industrial
21-22	Apex Industrial
23-24	Axis Rechargeable Industrial
25-26	Remix Industrial
27-28	Sync Industrial
29-30	Refuel Industrial
31-32	Wiselite
33-34	Snap Solo
35-36	Byte

## Handhelds




37-38	Alloy-X
39-40	League II
41-42	League
43-44	Attitude
45-46	Amp 1LB
47-48	Sector 5
49-50	Torrent

## Lanterns

51-52	Helix Rechargeable
53-54	Helix



# Hazardous location Ratings

CLASSES	GROUPS	DIVISIONS	
		1	2
<p><b>CLASS I</b> Gases, vapors, and liquids</p> 	<p>A: Acetylene</p> <p>B: Hydrogen, etc.</p> <p>C: Ether, etc.</p> <p>D: Hydrocarbons, fuels, solvents, etc. <i>(gasoline, acetone, alcohol)</i></p>	<p>Normally explosive and hazardous</p>	<p>Not normally present in an explosive concentration <i>(but may accidentally exist)</i></p>
<p><b>CLASS II</b> Combustible Dusts</p> 	<p>E: Metal dusts <i>(conductive, and explosive)</i></p> <p>F: Carbon dusts Coal, Coke <i>(some are conductive, and all are explosive)</i></p> <p>G: Flour, starch, grain, combustible plastic or chemical dust <i>(explosive)</i></p>	<p>Ignitable quantities of dust normally are or may be in suspension, or conductive dust may be present</p>	<p>Dust not normally suspended in an ignitable concentration <i>(but may accidentally exist), dust layers are present.</i></p>
<p><b>CLASS III</b> Ignitable Fibers and filings</p> 	<p>Textiles, wood-working, etc. <i>(easily ignitable, but not likely to be explosive)</i></p>	<p>Handled or used in manufacturing</p>	<p>Stored or handled in storage <i>(exclusive of manufacturing)</i></p>



# Rated Lights

<b>League II</b>	ETL Rating Zone 0 CL I,II,III Div 1,2	Groups A-G		Temp code: T4
<b>Vizz II</b>	ETL Rating Zone 0 CL I,II,III Div 1,2	Groups A-G		Temp code: T4
<b>EOS II</b>	UL Rating: CL I. DIV 1	Groups: A,B,C,D		Temp code: T4
<b>Quad II</b>	UL Rating: CL I. DIV 1	Groups: A,B,C,D		Temp Code: T4
<b>EOS IND</b>	UL Rating: CL I. DIV 2	Groups: A,B,C,D	CL II. DIV 2 Group: F,G	Temp code: T6
<b>Quad IND</b>	UL Rating: CL I. DIV 2	Groups: A,B,C,D	CL II. DIV 2 Groups: F,G	Temp code: T6
<b>Apex</b>	UL Rating: CL I. DIV 2	Groups: A,B,C,D	CL II. DIV 2 Groups: F,G	Temp code: T6
<b>Torrent LED</b>	UL Rating: CL I. DIV 2	Groups: A,B,C,D	CL II. DIV 2 Groups: F,G	Temp code: T6
<b>Sector 5</b>	UL Rating: CL I. DIV 2	Groups: A,B,C,D		Temp code: T6

Numerous locations exist where a specific type of light is required for that kind of environment. **Class and Division** are highlighted.

**Class I, II, and III** are called out whereas;

**Class I** locations are hazardous areas by the presence of flammable vapors, liquids, or gasses.

**Class II** is an area where combustible dusts are present and

**Class III** is an area that contains fibers, flyings, or fibers which are easily ignitable.

**Division** designates that the likelihood of ignitable concentrations of materials that are flammable are present. They showcase two divisions of which;

**Division 1** is an area where concentrations of flammable dusts, liquids, or vapors can exist some of the time or all of the time under normal conditions of operation or where easily ignitable flyings and fibers are used, manufactured, or handled.

**Division 2** are areas where ignitable concentrations are not likely to appear or exist under normal operating procedures or where Class III items are handled or kept in storage. Princeton Tec has the above noted products that meet these strict safety ratings.





# Vizz II

ETL Rating: Class I Division 1 & 2. Groups A, B, C, D & G

PN#: VIZZ-II



### Elevated Button

With extended height, Vizz II's button is easily recognized through Class 2 gloves.

### Waterproof

Rated IPX7, Vizz II can withstand up to one meter of water.

### Three Modes

Vizz II provides a spot beam, as well as high and low flood beams.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**150**  
LUMENS

**102h**  
RUNTIME

**92**  
GRAMS

**IPX7**  
WATERPROOF

**3 AAA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
SPOT HIGH	4h		91h
FLOOD HIGH	7h		97h
FLOOD LOW	102h		6h
DISTANCE (m)		0      10      36      70	







# Eos II

UL Rating: Class I Division 1 Groups A, B, C & D

PN#: EOS-II

### Press and Hold Off

To avoid accidental deactivation, Eos II's button requires a press and hold action to turn it off.



### Waterproof

Rated IPX7, Eos II can withstand up to one meter of water.

### Two Modes

With one simple button, switch between high and low spot beams.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**130**  
LUMENS

**100h**  
RUNTIME

**105**  
GRAMS

**IPX7**  
WATERPROOF

**3 AAA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern / Dimmable	Reserve
SPOT HIGH	4h		76h
SPOT LOW	100h		8h
		DISTANCE (m) 0 23 65	





# Quad II

UL Rating: Class I Division 1 Groups A, B, C & D

PN#: QUAD-II

## Two Modes

Quad II features high and low flood beams.



## Waterproof

Rated IPX7, withstanding water immersion of up to one meter.

## Battery Indicator

A red LED activates when Quad II is in need of a battery swap.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**78**  
LUMENS

**64h**  
RUNTIME



**96**  
GRAMS

**IPX7**  
WATERPROOF

**3 AAA**  
ALKALINE

MADE IN  
**USA**

## PERFORMANCE

Modes	Runtime	Beam Pattern / Dimmable	Regulated	Reserve
HIGH FLOOD	6.5h		1h	98h
LOW FLOOD	64h		5h	46h

DISTANCE (m)                      0                      30                      50





# Eos 360

PN#: EOS360-BK

## Slip Resistant

EOS 360 is hard hat friendly with its rubberized band.

## Headlamp

Mounted on the rubber strap is our EOS headlamp, which simultaneously provides a task light in addition to its visibility function.



## 360° Visibility

LED band provides 360° visibility that is enhanced by highly reflective strips.

## Two Modes

The LED band provides a constant on as well as a safety flash mode.

**165**  
LUMENS

**90**  
GRAMS

**IPX7**  
WATERPROOF

**3 AAA**  
ALKALINE

**MADE IN**  
**USA**

## PERFORMANCE

	Mode	Runtime	Distance
EOS HEADLAMP ONLY	High	4h	68m
	Low	32h	34m
	Strobe	34h	68m
EOS W/ BAND & CONSTANT	High	4h	72m
	Low	15h	29m
BAND ONLY	Band Constant	27h	6m
	Band Strobe	100h	3m
EOS W/ BAND & STROBE	High	4h	72m
	Low	24h	33m





# Vizz Industrial

PN#: VIZZ-IND



### Elevated Button

With extended height, Vizz Industrial's button is easily recognized through Class 2 gloves.

### Waterproof

Rated IPX7, Vizz Industrial can withstand up to one meter of water.

### Lithium Compatible

Can be powered by lithium batteries for operation in a wider temperature range.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**550\***  
LUMENS

**90h\***  
RUNTIME

**90**  
GRAMS

**IPX7**  
WATERPROOF

**3 AAA**  
ALKALINE

**MADE IN  
USA**

### PERFORMANCE\*

Modes	Runtime	Beam Pattern	Reserve
SPOT HIGH	4h		132h
FLOOD HIGH	90h		14h
FLOOD LOW	100h		8h
DISTANCE (m)		0      10      36      79	

\*preliminary data, to be confirmed during production







# EOS Industrial

UL Rating: Class 1 Division 2 Class 2, Division 2 Class I Division 2

Groups A, B, C & D Class II Division 2 Groups F & G

PN#: EOS-IND

### Press and Hold Off

To avoid accidental deactivation, Eos Industrial's button requires a press and hold action to turn it off.



### Waterproof

Rated IPX7, withstanding water immersion of up to one meter.

### Four Modes

Features high, medium, and low spot beams, as well as a strobe function.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**170**  
LUMENS

**46h**  
RUNTIME

**105**  
GRAMS

**IPX7**  
WATERPROOF

**3 AAA**  
ALKALINE

**MADE IN**  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
HIGH SPOT	3.5h		147h
STROBE	22h		148h
MEDIUM SPOT	6h		154h
LOW SPOT	46h		124h
DISTANCE (m)		0      25      45      80	





# Quad Industrial

UL Rating: Class 1 Division 2 Class 2, Division 2 Class I Division 2 Groups A, B, C & D. Class II Division 2 Groups F & G

PN#: QUAD-IND

### Lithium Compatible

Can be powered by lithium batteries for operation in a wider temperature range.

### Four Modes

Quad Ind features high, medium, and low flood beams, as well as a strobe function.



### Waterproof

Rated IPX7, Quad Industrial can withstand up to one meter of water.

### Battery Indicator

A red LED activates when Quad II is in need of a battery swap.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**78**  
LUMENS

**73h**  
RUNTIME

**96**  
GRAMS

**IPX7**  
WATERPROOF

**3 AAA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern	Regulated	Reserve	
FLOOD HIGH	8h		1h	72h	
STROBE	130h		12h	20h	
FLOOD MED	73h		5h	19h	
FLOOD LOW	60.5h		10h	47.5h	
DISTANCE (m)		0	17	25	50





# Snap Industrial

PN#: SNAP-IND

## Removable Head Unit

An unmatched magnetic design allows Snap to be detached from its bracket for use as a handheld, or fastened to metal surfaces.

## Dimmable Switch

With a simple hold of the button, Snap can be easily dimmed or transitioned to flash mode.



## Pole Tool Attachment

Allows Snap to attach to a hot stick or any 1 inch diameter pole tool.



## Carabiner Mount and Clip

Hang Snap from your vest to light your work area, or turn it to flash mode for visibility.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**300**  
LUMENS

**155h**  
RUNTIME

**99**  
GRAMS

**IPX4**  
WATER RESISTANT

**3 AAA**  
ALKALINE

MADE IN  
**USA**

## PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
HIGH SPOT	10h		100h
STROBE	130h		20h
LOW SPOT	155h		7h
		DISTANCE (m)	
		0                      7                      30                      50	





# Apex Rechargeable Industrial

PN#: APXL-RC-IND

## USB Charging

Provides simple and convenient charging, even on the go.

## Enduring

The longest lasting rechargeable headlamp on the market with a reliable run time of 13 hours on a single charge.



## Extended Power Cable

The battery pack that is clipped to the head strap can be easily moved to your pack or jacket pocket.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**550**  
LUMENS

**13h**  
RUNTIME

**283**  
GRAMS

**IPX7**  
WATERPROOF

LITHIUM-ION  
RECHARGEABLE

MADE IN  
**USA**

## PERFORMANCE

Modes	Runtime	Beam Pattern	Regulated	Reserve
SPOT HIGH	6.6h		-	5h
SPOT MED.	8.1h		-	3.4h
SPOT LOW	12h		12h	-
FLOOD HIGH	11h		1h	1.5h
FLOOD STROBE	13h		12h	-
FLOOD LOW	13h		12h	-
DISTANCE (m)	0	20 36 43 76 90		







# Apex Industrial

UL Rating: Clas 1 Division 2 Class 2, Division 2

PN#: APX-BK-IND

## Waterproof

Rated IPX7, Apex withstands up to one meter of water.

## External Heatsink

By reducing heat and regulating temperature, the heatsink allows the LEDs to burn brighter and longer.



## Tactile Indicators

Embossed buttons mark the difference between the spot and flood beams, providing an easy switch between the two.

## Powerful

With 650 lumens, Apex is the most powerful of all our headlamps.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**650**  
LUMENS

**12h**  
RUNTIME

**279**  
GRAMS

**IPX7**  
WATERPROOF

**4 AA**  
ALKALINE

MADE IN  
**USA**

## PERFORMANCE

Modes	Runtime	Beam Pattern	Regulated Reserve	
			Regulated	Reserve
SPOT HIGH	1.5h		1.4h	0.5h
SPOT MED.	11h		2h	-
SPOT LOW	12h		9h	84h
FLOOD HIGH	10h		8h	90h
FLOOD STROBE	10h		10h	190h
FLOOD LOW	6h		5h	144h

DISTANCE (m)      0      22      43      67      92      120





# Axis Rechargeable Industrial

PN#: AX-RC-IND

## Digital Lockout

Can be locked when not in use to prevent accidental activation.

## Safety Reserve Mode

Axis Industrial will flash when its battery level is low, to alert the user to recharge. The LEDs will then dim, prolonging the remaining runtime.



## Rechargeable Battery

Fueled by a sealed lithium rechargeable battery, charged via a micro USB port.

## Ambidextrous Glove Friendly Operation

Switch between four different beam settings, as well as all dimmed modes, with one simple, glove-friendly dial.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**450**  
LUMENS

**15h**  
RUNTIME

**82**  
GRAMS

**IPX4**  
WATER RESISTANT

LITHIUM-ION  
RECHARGEABLE

MADE IN  
**USA**

## PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
DUAL BEAM HIGH	1.3h		-
SPOT BEAM HIGH	2h		1.2h
SPOT BEAM LOW	10h		-
FLOOD HIGH	5.5h		1.5
FLOOD LOW	15h		-
RED HIGH	28h		-
RED LOW	50h		-

DISTANCE (m)      0      5      7      13      16      18      30      35





# Remix Industrial

PN#: HYB-IND

### Triple LED Cluster

Three LEDs provide a white flood for close range area light.

### Spot Beam

Provides a long throw of concentrated bright light.



### Water Resistant

Rated IPX4, Remix is protected from splashing water and rain.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**450\***  
LUMENS

**43h\***  
RUNTIME

**83**  
GRAMS

**IPX4**  
WATER RESISTANT

**3 AAA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE\*

Modes	Runtime	Beam Pattern	Reserve
HIGH SPOT	43h		23h
LOW SPOT	16h		24h
HIGH FLOOD	6h		-
LOW FLOOD	73h		-

DISTANCE (m)      0      9      20   25      46

\*preliminary data, to be confirmed during production





# Sync Industrial

PN#: SYNC-IND

## Three Modes

Sync offers a red mode, two flood modes, a spot beam, and dual beam.

## Glove Friendly

Can easily be activated and switched between modes without the need to remove gloves.



## Dial-Activated Mode Control

Bypass button pressing sequences by turning a dial to switch between modes quickly and simply.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**300**  
LUMENS

**60h**  
RUNTIME

**83**  
GRAMS

**IPX4**  
WATER RESISTANT

**3 AAA**  
ALKALINE

**MADE IN**  
**USA**

## PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
DUAL BEAM	4h		76h
HIGH SPOT	4.5h		60.5h
HIGH FLOOD	13h		25h
LOW FLOOD	60h		20h
RED	130h		20h
DISTANCE (m)		0 6 11 22 40 46	







# Refuel Industrial

PN#: RF21-BK/DK

### Easy-Open Battery Door

Features a larger lip for easier access providing painless battery swaps.

### Simple

With its one mode, a dimmable white flood light, Refuel is easily and intuitively operated.



### Compact

The smallest and lightest of our 3 AAA headlamps at 2.8 oz.



HEADSTRAP



HARDHAT STRAP



3M DUAL-LOCK

**250**  
LUMENS

**42h**  
RUNTIME



**78**  
GRAMS

**IPX4**  
WATER RESISTANT

**3 AAA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern / Dimmable	Reserve
HIGH FLOOD	5h		65h
LOW FLOOD	42h		12h
DISTANCE (m)	0	9	24





# Wiselite

LAMP: WISE2A

CHARGER: NWB-30

## MSHA Approved

Fully approved by the Mine Safety and Health Administration to be used in gaseous mines.

## Two Modes

With one simple button, Wiselite cycles through both high and low settings.



## Hard Hat Mounted

Wiselite is designed to clip onto the front of a hard hat, eliminating the need for a head strap

## Rechargeable

Wiselite is recharged with its slide-in charging base.



**167**  
LUMENS

**60h**  
RUNTIME

**169**  
GRAMS

**IP67**  
WATER RESISTANT

LITHIUM-ION  
RECHARGEABLE

## PERFORMANCE

Modes	Runtime	Beam Pattern / Dimmable
HIGH FLOOD	16h	
LOW FLOOD	60h	
DISTANCE (m)		0      25      155





# Snap Solo

PN#: SNSOLO-BK/DK

### Removable Head Unit

An unmatched magnetic design allows Snap to be detached from its bracket for use as a handheld, or fastened to metal surfaces.

### Dimmable Switch

With a simple hold of the button, Snap can be easily dimmed or transitioned to flash mode.



**300**  
LUMENS

**155h**  
RUNTIME

**99**  
GRAMS

**IPX4**  
WATER RESISTANT

**3 AAA**  
ALKALINE

**MADE IN**  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
HIGH SPOT	10h		100h
STROBE	130h		20h
LOW SPOT	155h		7h
DISTANCE (m)		0                      7                      30                      50	















# League II

ETL Rating: Classes I, II, III; Divisions 1 & 2; Groups A-G.

### Toggle Switch

Allows for easy activation and includes a lock feature to avoid battery drain while in transit or storage.

### Large Clip Area

A place to tether League to a carabiner and attach it to virtually anything.



### 12° Angled Head

Ensures a comfortable grip, allowing you to hold your hand straight, while still providing light in the desired location.



**NEON YELLOW**  
LG2-NY



**BLACK**  
LG2-BK

**150**  
LUMENS

**10h**  
RUNTIME

**180**  
GRAMS

**IPX8**  
WATERPROOF

**3 AA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
SPOT HIGH	10h		36h
DISTANCE (m)                      0    65    130			





# League

## Toggle Switch

Allows for easy activation and includes a lock feature to avoid battery drain while in transit or storage.

## Large Clip Area

A place to tether League to a carabiner and attach it to virtually anything.



## 12° Angled Head

Ensures a comfortable grip, allowing you to hold your hand straight, while still providing light in the desired location.



**NEON YELLOW**  
LG4-NY



**BLACK**  
LG4-BK



**BLUE**  
LG4-BL

**420**  
LUMENS

**3.5h**  
RUNTIME


**203**  
GRAMS

**IPX8**  
WATERPROOF

**4 AA**  
ALKALINE

MADE IN  
**USA**

## PERFORMANCE













# Amp 1L

## Light Diffusing Cone

Equipped with a snap on translucent cone, Amp has the ability to transform into a marker light, hanging lantern, or area light.



## Bottle Opener

Amp's large carabiner loop doubles as a bottle opener, so you're all set to crack open a beverage after your long day.



## Comfortable Grip

With its over-molded grip, Amp sits comfortably in your hand.

## Large Carabiner Loop

Attach Amp to virtually anything.



**NEON YELLOW**  
A90LBC-NY



**BLACK**  
A90LBC-BK



**BLUE**  
A90LBC-BL

**100**  
LUMENS

**7.4h**  
RUNTIME

**57**  
GRAMS

**IPX8**  
WATERPROOF

**2 AAA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE\*

Modes	Runtime	Beam Pattern	Reserve
SPOT HIGH	7.4h		65h
DISTANCE (m)	0	32	64





# Sector 5

UL Rating: Class I Division 2, Groups A, B, C & D

### Powerful

Provides an incredible 1000 lumens, fueled by 4 C-cell batteries.

### Lock Protection

Can be locked to prevent accidental activation while in transit or storage.



### Glove Friendly Trigger Switch

A full pull activates Sector 5's constant-on function, while a half pull activates the light momentarily.

### Balanced Grip

Allows for a solid and comfortable hold.



**NEON YELLOW**  
S5-NY



**BLACK**  
S5-BK

**1000**  
LUMENS

**8h**  
RUNTIME

**650**  
GRAMS

**IPX8**  
WATERPROOF

**4 C**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
SPOT HIGH	8h		2h
DISTANCE (m)		0	100
			190





# Torrent

UL Rating: Class I Division 2, Groups A, B, C & D  
 Class II Division 2, Groups F & G

### Compact and Powerful

Small enough to bring along as a back-up light, and with 500 lumens, Torrent is also more than sufficient for use as a main source.

### Adaptable

While Torrent runs on 8 AA batteries, it will still operate at a lower capacity with only 4.



### Locking Switch

Features an easy to use, glove friendly switch that locks in place to avoid accidental activation while in transit or storage.



**NEON YELLOW**  
T500-NY



**BLACK**  
T500-BK



**BLUE**  
T500-BL

**500**  
LUMENS

**1.5h**  
RUNTIME

**365**  
GRAMS

**IPX8**  
WATERPROOF

**8 AA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Beam Pattern	Reserve
SPOT HIGH	1.5h		138h
DISTANCE (m)		0	75
			150



# Helix Rechargeable

## Collapsible Globe

The ability to compress Helix makes for easy and space-saving transport. Helix's globe design produces a widespread flow of light.

## Multiple Hanging Options

With its folding legs that feature hooks, Helix has the ability to hang from virtually anything.

## Innovative Swipe Control

Replaces ordinary buttons for a swift change between dimmable red and white modes.



## Micro USB Rechargeable

Fueled by a sealed lithium rechargeable battery, charged via a micro USB port.



GRAY / BLACK  
HX22-RC-GRY

**300\***  
LUMENS

**18h\***  
RUNTIME

**155**  
GRAMS

**IPX6**  
POWERFUL SPRAY

LITHIUM-ION  
RECHARGEABLE

MADE IN  
**USA**

### PERFORMANCE\*

Modes	Runtime	Reserve
WHITE HIGH	6h	—
WHITE LOW	18h	6h
RED HIGH	7h	5h
RED LOW	23h	14h

\*preliminary data, to be confirmed during production





# Helix

### Collapsible Globe

The ability to compress Helix makes for easy and space-saving transport.

### Multiple Hanging Options

With its folding legs that feature hooks, Helix has the ability to hang from virtually anything.

### Innovative Swipe Control

Replaces ordinary buttons for a swift change between dimmable red and white modes.



TAN / OD  
HX22-MC

**300\***  
LUMENS

**24h\***  
RUNTIME

**155**  
GRAMS

**IPX6**  
POWERFUL SPRAY

**3 AAA**  
ALKALINE

MADE IN  
**USA**

### PERFORMANCE

Modes	Runtime	Reserve
WHITE HIGH	8h	16h
WHITE LOW	24h	26h
RED HIGH	12h	24h
RED LOW	32h	50h

\*preliminary data, to be confirmed during production

# The right light, when you need it.

Princeton Tec also manufactures personal lighting products that meet the specialized needs of the military, first responders, outdoorsmen and other everyday heroes.







**PRINCETON TEC**  
**PO BOX 8057**  
**TRENTON, NJ**

**T 609 298 9331**  
**F 609 298 9601**  
**PRINCETON.TEC.COM**

**Instagram icon @PTECLIGHTS**  
**Facebook icon PRINCETONTEC**  
**Twitter icon @PTECLIGHTS**