

SWISS AIR

Safety never felt so comfortable



The revolutionary PAPR system from optrel



TH3 certified
particle
master filter



Automatic
altitude and
temperature
compensation



Steplessly
adjustable air flow
100-130 l/min



Breath
supporting



14 h power pack



No fit test
necessary



SEE
WHAT YOU
CAN DO



reddot winner 2021

SWISS AIR

Perfect breathing air

Breathing means living. The optrel swiss air respiratory protection system brings clean breathing air into your environment and lets you breathe as freely as you can otherwise only enjoy outdoors in nature.

Many workplaces and public spaces produce pollutants such as smoke, soot particles, particulate matter, nitrogen oxides, ozone or viruses that can enter the lungs through the nose, throat and trachea, causing asthma, chronic cough, bronchitis or other respiratory diseases including lung cancer.

With the optrel swiss air respiratory protection system you enjoy fresh air, completely independent of your activity and your other protective equipment. It makes you independent and free.

WELCOME TO THE SWISS ALPS.
WELCOME TO OPTREL SWISS AIR.

Ventilated half mask made of flame-retardant material covers mouth and nose area completely. Positive pressure supports breathing and avoids fatigue.

Shoulder harness for ergonomically perfect weight distribution of the super-light filter system (only 550 g).

The **Control Panel** operates all functions centrally from the front:


- easy indication of filter and battery status
- stepless regulation of the air flow for maximum working comfort
- Automatic altitude and temperature compensation

Powerful TH3 filter unit with innovative, ultra-flat design. Lightweight and comfortable to carry, highly efficient in use. **Blower unit** with automatic air flow calibration and 14h high performance battery for an uninterrupted working day.

TH3
certified

99.8%

swiss air meets the highest requirements for professional respiratory protection systems, the TH3 standard: 99.8% of all harmful particles, aerosols, vapors, smoke or even viruses are reliably filtered out of the breathing air.



cover

spark protection

pre-filter

TH3 particle master filter

Infinitely adjustable headband for all sizes from XS to XL.

Y-hose with adjustable neck strap and flexible hose elements guides the air directly into the half mask

Flexible use for numerous types of work

The optrel swiss air respiratory protection system is independent of the helmet or other equipment used and is therefore the most versatile optrel respiratory protection system available.



Grinding / metal working /
wood working / industrial applications



Welding / Plasma cutting



Demolition / Construction /
Agriculture / Waste disposal / Recycling



Medical applications / Health care



Laboratory applications /
pharmaceutical industry

Technical data

Protection class TH3 (EN12941)

Blower unit

Air flow Level 1: min. 100 l/min.
Level 2: min. 115 l/min.
Level 3: min. 130 l/min.
All levels with automatic air flow control (levels are adjusted directly on the blower and can be steplessly adjusted via the Control Panel at the front).

Material PA66 GF30

Fan high quality motor with ball bearings

Fuse electrical

Noise max. 70db (A)

Alarm Visual (with swiss air control panel) and audible for low / very low battery level, clogged filter, no filter and low air flow.
Low battery: alarm frequency 3.0 s (1.5 s on, 1.5 s off)
Filter: alarm frequency 0.5 s (0.25 s on, 0.25 s off)

Dimensions (L x W x H): 250 x 170 x 50 mm

Weight Blower unit 550 g / Overall system 1,200 g

Control Panel

Indication and adjustment options - Overview of filter contamination and battery charge status
- stepless air flow control and on/off switch
- altitude and temperature compensation

Connection Operating cable with jack plug and cable protection

Half-mask

Material POM, ripstop textile (98% polyester and 2% polyurethanes), flame-retardant
Polyurethane foam

Valve Exhalation valve with silicone membrane

Certificates

Standards EN 12941 Europe: TH3; Australia: P3; AS/NZS 1716; EAC TP TC 019/2011

Notified body CE 1024



Your optrel reseller:



For each product sold of this type, optrel plants one tree and neutralizes the carbon footprint of the product.

industrial.optrel.com



Item. no. 9412.071.01