

ICE HOOK

REF.NO. 2E719


CT
climbing
technology





Dyneema quickdraw for ice screws.

Main features:

- the quickdraw is secured onto the ice screw, which makes it ready for the rope to be clipped in after just a few turns;
- equipped with [FLY-WEIGHT EVO](#) carabiner, compact, ultra-light, with a nose shape that is optimised to limit accidental snagging on rope and gear loop;
- it facilitates placing the ice screw and, during the extraction, makes dropping it much harder;
- the ring that supports the sling can move freely along the ice screw, so as to minimize the leverage that would be applied on it in case of a fall;
- suitable for all ice screws with a maximum thread diameter of 20 mm.

 Grey (2E719012XPA / 2E719022XPA)

 Blue (2E719017WVA)

 Gold (2E719017YB1)

 Dark Green (2E719017YV1)

ICE HOOK

REF.NO. 2E719



TECHNICAL FEATURES

Breaking load 22
kN

STANDARD AND ADDITIONAL INFORMATION

QUALITY
CONTROL 100%



TABLES

Ref. No.	Length	Weight	Colour
2E7190012XPA	12 cm	65 g	Grey
2E719017WVA	17 cm	68 g	Blue
2E719017YB1	17 cm	68 g	Gold
2E719017YV1	17 cm	68 g	Dark Green
2E719022XPA	22 cm	73 g	Grey

GALLERY



ICE HOOK

REF.NO. 2E719

