

WV100036



Scratch-resistant and anti-fog polycarbonate eye protection. Visor Screw Set is included. Can be worn with corrective glasses.

Compatible with KASK Superplasma helmet series.

MOUNTING PARTS



TECHNICAL DETAILS

STANDARD
EN ISO 16321
EN 14458
CE

ANSI Z87.1

CATEGORY
II

OPTICAL CLASS
1

MATERIAL
Polycarbonate

WEIGHT
80 g

LENGTH
110 mm

TECHNOLOGIES

ANTI-FOG
Equipped with an anti-fog treatment to increase wearer visibility when active and in a variety of conditions.

CUT PROOF EDGE
Eye shield edge detail designed with a cut proof edge for enhanced wearer safety.

DRIP PROOF UPPER CONTOUR
Rubber edge protects eyes from liquid and debris from entering the visor.

PANORAMIC LENS
Developed to maximize visibility with minimal viewing distortion.

COMPATIBLE WITH GLASSES
Designed for use with corrective glasses.

EXTREME TEMP IMPACT RESISTANCE
Able to withstand impacts at extreme temperatures for use in a variety of environments.

ABRASION AND SCRATCH RESISTANCE
Lens treatment designed with protection from abrasion and scratches, increased durability and viewing clarity.

CE MARKINGS

CODE	COLOR	MARKING
WV100036-500	CLEAR	CE EN14458:2018 KASK V2 PLUS MM/YY = ⊙ BT 2C-1,2 -30°C+50°C ☐ KASK UL1,2 DT 1 -5°C+55°C K N CH 7 16321 KASK DT 1-M -5°C+55°C
WV100036-510	SMOKE	CE EN14458:2018 KASK V2 PLUS MM/YY = ⊙ BT 5-1,4 -30°C+50°C ☐ KASK GL1 DT 1 -5°C+55°C K N CH 7 16321 KASK DT 1-M -5°C+55°C
WV100036-520	SILVER MIRROR	CE EN14458:2018 KASK V2 PLUS MM/YY = ⊙ BT 5-2,5 -30°C+50°C ☐ KASK GL2 DT 1 -5°C+55°C K N CH 7 16321 KASK DT 1-M -5°C+55°C

ANSI MARKINGS

CODE	COLOR	MARKING
WV100036-500	CLEAR	ANSI Z87 + U6 X D3
WV100036-510	SMOKE	ANSI Z87 + U6 L1.5 X D3
WV100036-520	SILVER MIRROR	ANSI Z87 + U6 L2.5 X D3

ADDITIONAL INFORMATION

GUARANTEE
3 years starting from the date of purchase.

LIFE SPAN
10 years starting from the date of manufacture. Life span depends on various factors that can cause deterioration such as sudden temperature changes, the amount of exposure to direct sunlight and the intensity of use. Altered vision and scratches are elements that signal the need to check for deterioration of the visor.

CLEANING
Clean only with water and mild soap. Allow to air dry. Do not use chemical detergents, solvents, petrol powders as they are too aggressive and could lower the structural resistance of the visor.

3
YEARS
GUARANTEE

10
YEARS
LIFE SPAN



SCAN FOR COMPLETE COLLECTION